



Certificate of Analysis

Product name	TB 500	Manufacture date	Oct.22,2022
Batch number	FQ221022	Analysis date	Oct.23,2022
Batch quantity	100kg	Expiry date	Oct.22,2024


Item	Specification	Results
Appearance	White Powder	Complies
Density	1.281 +/- 0.06 g/cm ³ (Predicted)	Complies
Boiling point	1405.0±65.0 °C(Predicted)	Complies
Solubility	H ₂ O : 250 mg/mL (281.21 mM; Need ultrasonic)	Complies
Loss on Drying	≤ 5.0%	3.57%
Chemical Analysis		
Heavy Metal	≤ 10.0 mg/kg	Complies
Pb	≤ 2.0 mg/kg	Complies
As	≤ 1.0 mg/kg	Complies
Microbiological Analysis		
Residue of Pesticide	Negative	Negative
Total Plate Count	≤ 1000cfu/g	Complies
Yeast&Mold	≤ 100cfu/g	Complies
E.coil	Negative	Negative
Salmonella	Negative	Negative

Packing description:	Sealed export grade drum & double of sealed plastic bag
Storage:	Store in cool & dry place -80 °C 2 years, keep away from strong light and heat
Shelf life:	2 years when properly stored



Quality Assurance Officer

Corrector



Analyst